- 29. (new) A method according to claim 28, wherein the at least three solvent-exposed amino acids appear on the molecular surface of the allergenic protein within a surface patch of approximately 500 square Angström.
- 30. (new) A method according to claim 28, wherein at least five consecutive amino acids of the peptide are identical to at least five consecutive solvent-exposed amino acids of the allergenic protein.
- 31. (new) A method according to claim 28, wherein the peptide, upon administration, is capable of inducing IgG antibodies which react with the allergenic protein.
- 32. (new) A method according to claim 31, wherein the induced IgG antibodies can reduce or prevent binding of IgE antibodies to the allergenic protein.
- 33. (new) A method according to claim 28, wherein the peptide, upon administration, does not induce a significant IgE response.

## **REMARKS**

Claims 1-9, 14-24 and 28-33 are pending in the current application. Claims 1-9 and 14-24 have been amended to conform to domestic practice. Claims 10-13 and 25-27 have been canceled and claims 28-33 have been added to conform canceled claims 10-12 and 25-27 to domestic practice. Support for the amendments to claims 1-9 and 14-24 and for new claims 28-33 is found in, *inter alia*, original claims 1-27. This amendment is believed to introduce no new matter, and thus, its entry is respectfully requested.

The British and Ann In In In In

77 77

14

Docket No: 0273-0005 Appl. No: to be assigned

Applicants believe that the present application is in condition for examination. If for any reason, the Examiner believes that personal communication will expedite prosecution of this application, then the Examiner is invited to contact the undersigned at the phone number provided.

Respectfully submitted,

SHANKS & HERBERT

sy: \_\_\_\_\_\_

Toni-Júnell Herber Reg. No. 34,348

Date:

١D

i al

i.

Half dan Kan

TransPotomac Plaza

1033 N. Fairfax Street

Suite 306

Alexandria, VA 22314

(703) 683-3600

j

Ū

Ш

ä

## ## ## ##

","

Docket No: 0273-0005 Appl. No: to be assigned

## Marked-Up Version of the Amended Claims

- 1. (once amended) A pharmaceutical composition, containing a peptide and a pharmaceutically acceptable carrier or diluent, wherein the peptide:
  - a) [the peptide] has a length of 8 to 50 amino acids; and
  - b) <u>has</u> at least three preferably consecutive amino acids [of the peptide are] identical to at least three <u>solvent-exposed</u> amino acids <u>of an allergenic protein</u> which appear in close vicinity on the molecular surface of [an] <u>the</u> allergenic protein[;
  - c) said at least three amino acids are solvent-exposed amino acids in the allergenic protein].
- 2. (once amended) A pharmaceutical composition according to claim 1, wherein said at least three <u>solvent-exposed</u> amino acids appear on the molecular surface of the allergenic protein within a surface patch of approximately 500 square Angström.
- 3. (once amended) A pharmaceutical composition according to claim 1 [or 2 containing a peptide and a pharmaceutically acceptable carrier or diluent], wherein [a) the peptide has a length of 8 to 50 amino acids;
- b)] at least five consecutive amino acids of the peptide are identical to at least five consecutive solvent-exposed amino acids of the [amino acid sequence of an] allergenic protein[; and
- c) said at least five consecutive amino acids are solvent-exposed amino acids in the allergenic protein].
- 4. (once amended) A pharmaceutical composition according to [any of claims 1 to 3] claim 1, further containing an adjuvant.
- 5. (once amended) A pharmaceutical composition according to [any of claims 1 to 4 characterized in that] <u>claim 1, wherein</u> all amino acids of the peptide except

ļ±

Docket No: 0273-0005 Appl. No: to be assigned

one are identical to the amino acids of an amino acid sequence which is part of the allergenic protein amino acid sequence.

- 6. (once amended) A pharmaceutical composition according to claim 5, wherein [characterized in that] the one amino acid which deviates from the amino acid sequence of the allergenic protein is the N-terminal or C-terminal amino acid of the peptide amino acid sequence.
- 7. (once amended) A pharmaceutical composition according to [any of claims 1 to 4 characterized in that] <u>claim 1</u>, <u>wherein</u> the amino acid sequence of the peptide is identical to an amino acid sequence which is part of the allergenic protein amino acid sequence.
- 8. (once amended) A pharmaceutical composition according to [any of claims 1 to 7 characterized in that] <u>claim 1</u>, <u>wherein</u> the allergenic protein is the birch pollen allergen Bet v 1.
- 9. (once amended) A pharmaceutical composition according to [any of claims 1 to 8 characterized in that] <u>claim 1, wherein</u> the peptide <u>amino acid sequence</u> comprises at least the N-terminal or C-terminal five amino acids of the allergenic protein <u>amino acid sequence</u>.
- 14. (once amended) A method for [the preparation of] <u>preparing</u> a pharmaceutical composition comprising [the following steps]:
- a) determining which amino acids of a given allergenic protein are solvent-exposed on the surface of the allergenic protein;
- b) preparing a peptide having a length of 8 to 50 amino acids, wherein at least three preferably consecutive amino acids of the peptide are identical to at least three solvent-exposed amino acids of the allergenic protein which appear in close vicinity on the molecular surface of [an] the allergenic protein [wherein the at


ļ

The time that the

١Ō 14

ķ÷

įė free free



least three amino acids are solvent-exposed amino acids in the allergenic protein]; and

- optionally admixing the peptide with a pharmaceutically acceptable carrier or c) diluent.
- (once amended) A method according to claim 14, wherein said at least 15. three solvent-exposed amino acids appear on the molecular surface of the allergenic protein within a surface patch of approximately 500 square Angström.
- A method according to claim 14 [or 15 for the (once amended) 16. preparation of a pharmaceutical composition comprising the following steps:
- determining which amino acids of a given allergenic protein are solvent-exposed a) on the surface of the allergenic protein;
- preparing a peptide having a length of 8 to 50 amino acids], wherein at least five b) consecutive amino acids of the peptide are identical to at least five consecutive solvent-exposed amino acids of the [amino acid sequence of the] allergenic protein [wherein the at least five consecutive amino acids are solvent-exposed amino acids in the allergenic protein; and
- optionally admixing the peptide with a pharmaceutically acceptable carrier or c) diluent].
- (once amended) A method according to [any of claims 14 to 16] claim 14, 17. further comprising [the addition of] adding an adjuvant.
- A method according to [any of claims 14 to 17 (once amended) 18. characterized in that] claim 14, wherein all amino acids of the peptide except one are identical to the amino acids of an amino acid sequence which is part of the allergenic protein amino acid sequence.

Docket No: 0273-0005 Appl. No: to be assigned

- 19. (once amended) A method according to claim 18, wherein [characterized in that] the one amino acid which deviates from the amino acid sequence of the allergenic protein is the N-terminal or C-terminal amino acid of the peptide amino acid sequence.
- 20. (once amended) A method according to [any of claims 14 to 17 characterized in that] <u>claim 14</u>, <u>wherein</u> the amino acid sequence of the peptide is identical to an amino acid sequence which is part of the allergenic protein <u>amino acid sequence</u>.
- 21. (once amended) A method according to [any of claims 14 to 20 characterized in that] <u>claim 14</u>, <u>wherein</u> the allergenic protein is the birch pollen allergen Bet v 1.
- 22. (once amended) A method according to [any of claims 14 to 21 characterized in that] <u>claim 14</u>, <u>wherein</u> the peptide comprises at least the N-terminal or C-terminal five amino acids of the allergenic protein <u>amino acid sequence</u>.
- 23. (once amended) A method according to [any of claims 14 to 22 characterized in that] <u>claim 14</u>, <u>wherein</u> the solvent-exposed amino acids of the allergenic protein are determined by determining the hydrophilicity profile of the [amino acid sequence of the] allergenic protein.
- 24. (once amended) A method according to [any of claims 14 to 22 characterized in that] <u>claim 14</u>, <u>wherein</u> the solvent-exposed amino acids <u>of the allergenic protein</u> are determined from the three-dimensional structure of the allergenic protein.